

Notice of Allowability

Application No.

10/730,482

Examiner

Charles A. Marmor, II

Applicant(s)

STEINBERG, BRUCE

Art Unit

3736

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the RCE and Amendment filed 22 March 2006.
2. ☒ The allowed claim(s) is/are 1-5.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.


Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date 03222006
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____


Charles A. Marmor, II
Primary Examiner
Art Unit 3736

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on March 22, 2006 has been entered.

The Examiner acknowledges the cancellation of claim 6. Claims 1-5 are pending.

Information Disclosure Statement

2. The Non Patent Literature Document authored by Cagir et al. entitled "Limb Surface Mechanical Indentation in the Presence of Accumulated Soft Tissue Fluid" cited in the Information Disclosure Statement filed March 22, 2006 fails to comply with the provisions of 37 CFR 1.97, 1.98 and MPEP § 609 because the publication date of the document is not provided. It has been placed in the application file, but the information referred to therein has not been considered as to the merits. Applicant is advised that the date of any re-submission of any item of information contained in this information disclosure statement or the submission of any missing element(s) will be the date of submission for purposes of determining compliance with the requirements based on the time of filing the statement, including all certification requirements for statements under 37 CFR 1.97(e). See MPEP § 609.05(a).

Allowable Subject Matter

3. Claims 1-5 are allowed over the prior art of record.
4. The following is an examiner's statement of reasons for allowance:

Regarding claims 1 and 2, no prior art of record teach or fairly suggest an applicator instrument for use in noninvasively evaluating a limb, where the instrument includes a base portion, a force plate, a solid force probe extending through an aperture of the force plate, at least one stabilizing column on the force plate which is slidably received within the base portion, an encoder positioned within the base portion for measuring the travel distance of the stabilizing column, and a load cell directly connected to the force probe for use in measuring the pressure applied to the force probe, where the force plate is permitted to slide relative to the probe and the measured travel distance and pressure measurements are used to compute modulus of hardness.

Regarding claims 3-5, no prior art of record teach or fairly suggest an applicator instrument for use in noninvasively evaluating a limb, where the instrument includes a force plate, a solid force probe extending through an aperture of the force plate, an encoder positioned *within* the instrument for measuring the relative distance between the distal end of the force plate and the distal end of the force probe, and a load cell directly interconnected to the force probe for use in measuring the pressure applied to the force probe, where the force plate is permitted to slide relative to the probe and the measured travel distance and pressure measurements are used to compute modulus of hardness.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

Art Unit: 3736

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Charles A. Marmor, II whose telephone number is (571) 272-4730. The examiner can normally be reached on M-TH (7:00-5:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Max Hindenburg can be reached on (571) 272-4726. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Charles A. Marmor, II
Primary Examiner
Art Unit 3736

cam
April 13, 2006